


Para	Mode	YT-2001(Wired 2D Barcode Reader)	
Product Picture			
Performance Parameter			
Optical Source		620nm Visible red light diode	
Imaging Sensor		CMOS	
resolution ratio		752*480	
Image Resolution		≥ 5mil	
Minimum Contrast		≥ 30%	
Barcode Types	2D	PDF417, microQR,QR Code(Model 1/2), Data Matrix(ECC200, ECC000,050, 080, 100,140)etc.	
	1D	Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar, Interleaved 2 of 5, ISBN, Code 93, UCC/EAN-128, GS1 Databar, etc.	
Decoding Speed		300times/second	
Barcode Sens	Tilt	±55°	
	Rotate	±25°	
	Deflection	±75°	
Data Interface Port		RJ-45	
Mechanical and Electric Performance			
SIZE(Length x Width x Height)		92.5×70×154.6 mm	
Net Weight		140g	
Indicator		Siren and LED light	
Max.Power		1750mw	
Working Voltage		DC5V	
Current	Max.Current	350ma	
	Working Current	325ma	
	Stand-by Current	53ma	
Accessory			
Data Cable		One USB Line , RS232	
Operation Manual		One	
Environmental Parameter			
Storage Temperature		-40°C ~ 60°C	
Working Temperature		0°C ~ 50°C	
Relative Humidity		0 ~ 95%	
Height range		2M	
IP Rating		2.54mm flex cable (1.2m)	
Certificates			
CE,RoHS,EMC,LVD, ISO9001:2008, ISO14001:2004			